




The complete range of automations for garage doors up to 21 sqm.



- EFFECTIVE THRUST POWER up to 1300N for 21 sqm door.
- UP TO 250 DIFFERENT USERS FOR RADIO TRANSMITTER both rolling code and fixed code.
- ENCODER for an efficient stroke control and obstacle detection.
- EXTERNAL DISPLAY WITH KEYPAD for Open/Stop/Close commands, programming and fault messages.

- SAFETY TESTS FUNCTION for the automatic check of safety devices.
- EASY INSTALLATION in line or at 90° with respect to the guide.
- LED COURTESY LIGHT with low power consumption.
- COMPATIBLE with the chain and belt guide of the previous series.

## THE VER PLUS TECHNOLOGY



**In** addition to the exclusive features offered by the standard version, VER PLUS, includes all CAME's new technologies related to safety and connectivity:

### **CAME KEY**

The control board is equipped with a slot that allows the direct connection of CAME KEY, the Wi-Fi device for remote configuration.

### **CAME CONNECT**


VER PLUS can be connected to CAME Cloud for the complete remote configuration and management of automations on smartphone or tablet.

### **RIO SYSTEM**

Wireless and battery-powered security devices can connect to the automation through a dedicated electronic module.

### **SAFETY BATTERY SYSTEM**

It can work also during blackouts thanks to an internal emergency power supply.





The next generation working tool has arrived. No longer are you required to spend time on your knees, in the pouring rain, configuring the control board of the automation system.

CAME KEY is a local Wi-Fi interface that can communicate directly with your control board, allowing you to manage configuration using a smartphone or tablet with no need of an Internet connection




### CAMECONNECT

# EXPERIENCE NOW THE FUTURE TECHNOLOGY FOR YOUR BUSINNESS

CAME CONNECT is the cloud system that allows you to remotely manage the automation system via a mobile device or through a PC with an Internet connection.


Using a "Gateway" device that is locally installed onto the system, the automation will be connected to a CAME certified world wide network accessible through a dedicated user platform.

### THE COMPLETE SERIES



### **VER**

MODELS		
VER06	up to 600 N overhang load	up to 9 sqm doors
VER08	up to 800 N overhang load	up to 12 sqm doors



### **VER PLUS**

MODELS		
VER10	up to 1000 N overhang load	up to 18 sqm doors
VER13	up to 1300 N overhang load	up to 21 sqm doors

© CAME SPA - KADENITA19 - 2019 - EN CAME reserves the right to make any changes to this document, at any time. Even partial reproduction is prohibited.

# CAME T

CAME S.p.A. Via Martiri della Libertà, 15 31030 Dosson di Casier Treviso - ITALY We are a leading multinational supplier of integrated high-tech solutions for automating residential, public and urban settings, which generate intelligent spaces for the wellbeing of people.

- → GATES AUTOMATION
- → INTERCOM SYSTEMS
- → BURGLAR ALARM SYSTEMS
- → HOME AUTOMATION
- → THERMOREGULATION
- → BLINDS AND AWNINGS AUTOMATION
- → GARAGE AND INDUSTRIAL DOORS
- → AUTOMATIC DOORS
- → TURNSTILES AND ACCESS CONTROL
- → BOLLARDS AND PERIMETER SECURITY
- → PARKING SYSTEMS AND ROAD BARRIERS



CE

