



CAME THE FIRST TO GIVE FREE CONNECTIVITY

"...for more than 5 years now, CAME have continued to invest in our Cloud Connectivity eco-system, providing our customers all across the world a completely unrivalled suite of connectivity solutions that connect both the Installer and the Final User to their automation system at all times giving ultimate control.

2021 is the right time for CAME to pass to the second phase of our connectivity strategy where we are very excited to be able to offer customers in the UK & Ireland free connectivity with ALL our connectable range of automation kits! A monumental offer that will continue at least until the end of 2022.

Early adopters of our connectivity have already confirmed beyond any doubt the extra value that it gives to both the installer and the final user of our systems. Extra value that for the foreseeable future will be FREE to our valued customer base.

Once again CAME are leading the way and keeping you **ALWAYS CONNECTED** to your customers."

Andrea Menuzzo President, CAME S.p.A.



SYMBOLS EXPLAINED

2021





Free GSM Connect Module & 3 Year 480Mb SIM Included

2022



The 230 – 400V AC 3-PHASE versions are ideal for INDUSTRIAL use as they guarantee greater gearmotor starting thrust.



The 230V gearmotors are designed for use in every day situations.



The 24V DC gearmotors are designed for INTENSIVE DUTY, and are powered by low voltage.



Battery powered.



This product is compatible with CAME Key.



This product features brushless technology.



We always advise you spec your installations with safety edges. When you see this symbol it is imperative that one is used.



This product can be remotely controlled via CAME Connect cloud technology.



This WIRELESS product is battery-powered and operates with radio technology.



Rotational device.



Designed for use with 8k2Ω resistive safety edges



This operator is tested in conformity with EUROPEAN STANDARDS on impact forces.





CAME sliding gate operators use Mod 4 or Mod 6 rack. This is a unit of measurement for how big the teeth are on the motor wheel.

^{*} The Always Connected Kit promotion will continue until 31/12/2022, with a likely extension beyond that commitment.

CONTENTS













YOUR END USERS ARE









SWING GATE AUTOMATION KITS







SLIDING GATE AUTOMATION KITS







AUTOMATIC BARRIER KITS







GARAGE DOOR AUTOMATION KITS







RADIO CONTROLS, SELECTORS, PUSHBUTTONS, GATEWAY MODULES, PHOTOCELLS & SAFETY





WE'RE GIVING YOU EVERYTHING YOU NEED:
CONNECTIVITY MODULE, ACTIVATED SIM, EASY TO USE APP...
ALL FREE!

For the first time ever, it is now **FREE** to take advantage of cloud connectivity via CAME Connect.

Just take 2 minutes to wire the module to the control board, add your system via the app and you're away! It's so simple to do and the benefits to you and your business are huge...

WHAT IT OFFERS YOU AS AN INSTALLER


- >> ADD YOUR SYSTEM TO THE CLOUD IN LESS THAN 5 MINUTES!
- >> MIGRATE 95% OF THE SYSTEM
 CONFIGURATION TO YOUR PHONE WITH THE
 EASY TO USE SETUP APP
- >>> LIVE ALERTS IF THE SYSTEM GOES OFFLINE OR WHEN A MAINTENANCE THRESHOLD IS REACHED
- >> FREE REMOTE DIAGNOSTICS DIRECT TO YOUR SMARTPHONE OR TABLET
- MOST IMPORTANTLY IT'LL SAVE YOU TIME, MONEY AND STREAMLINE YOUR BUSINESS!
- >>> MANAGE TRANSMITTERS AND CHANGE KEYPAD CODES REMOTELY IN SECONDS
- >>> ELIMINATE COSTLY CALL OUTS FOR MINOR SYSTEM CHANGES, MANAGE THEM FROM YOUR SMARTPHONE OR TABLET

Don't just take our word for it... fit your ALWAYS CONNECTED module now to experience the benefits... After all, it's FREE!



Wire in your FREE RGSM module, download the SetUp App and get Connected.









THE CAME SETUP APP











POWERFUL REMOTE SYSTEM ANALYSIS FROM YOUR SMARTPHONE

The CAME Connect platform and app has been redesigned to make the process simpler and easier to manage. From adding your automation systems, to managing support requests, CAME Connect 2.0 has been designed to make the life of the installer just that little bit easier.

Having access to this powerful remote management systems gives you access to real time information of every automation system that you manage, and **IT'S IN YOUR POCKET.**

Does your other automation manufacturer give you this level or remote diagnostics? Thought not.

THE PERFECT ON SITE PARTNER FOR EVERY CAME INSTALLER














DOWNLOAD THE APP NOW & EXPERIENCE THE POWER FOR YOURSELF











CAME CONNECT WEB PORTAL

INTRODUCING THE MOST POWERFUL, SIMPLE TO USE, BACK OFFICE SOLUTION IN THE MARKET... ALL FREE OF CHARGE!



UNLEASH THE FULL POTENTIAL THAT CAME CONNECT HAS TO OFFER...

A simple user interface means the CAME Connect platform can be managed by any member of your team, not just one of your engineers. So whilst your install and maintenance team are managing site visits, your back office staff can be taking care of everything online, including managing support requests, updating client scenario changes, creating calendar exclusions managing site maps, and much more.



EASILY CREATE CUSTOM SCENARIOS

Create an easy to action list of scenarios that run seamlessly in the background. Define the action, state the time and regularity and you're away.



CREATE ACCESS CONTROL SYSTEMS

Add and remove user access and create an easy to use access control system online via CAME Connect. Grant access at the touch of a button and deliver notifications to manage access.

POWERFUL BACK OFFICE FROM YOUR LAPTOP, OFFICE PC OR TABLET

The CAME Connect web platform has been intuitively designed to provide seamless integration with the CAME SetUp App. Once you have used the app to manage system configuration on site, you can head straight to the portal where all the system information will have seamlessly migrated, and you can start to realise the full power of CAME Connect.


THE PERFECT CONNECTED OFF SITE PARTNER FOR EVERY CAME INSTALLER





MANAGE SITE MAPPING

View and manage all of your installations on an easy to naviagte site map, where you can easily see status notifications and navigate directly in to sites to affect immediate changes.



MANAGE SUPPORT REQUESTS

Manage all of your support requests for every managed site via the web platform. Easy to navigate and simple to action. What more could an installer wish for?



ADD A MAINTENANCE CALENDAR

Use the powerful calendar tool within CAME Connect to create maintenance schedules that automatically alert you when sevices are due. Making the whole process simple and easy for you.



MANAGE EXCLUSION CALENDERS

Manage a site exclusion schedule with the simple to use calendar function enabling you to exclude set days and times from the standard operating procedures.

VISIT THE WEB PORTAL NOW & TRY IT OUT FOR YOURSELF

www.cameconnect.net/login







GIVE YOUR CUSTOMER A FULL
REMOTE SUPPORT SERVICE WITH EVERY
ALWAYS CONNECTED KIT

The beauty of CAME Connect is that it offers you, as an installer, so much that it makes sense to add connectivity to the system whatever the circumstances. But it also gives great customer benefits too... if you want it to of course.

You get it for FREE anyway, so the choice is yours whether to pass on the benefits to your customer. You can retain ownership of the Connect platform simply for the unique installer benefits, such as remote diagnostics, site maps, and scenarios.

Alternatively, you could charge for the service alongside an existing maintenance package, or if you prefer you can also offer it for FREE as a sales differentiator against your competitors. The choice is yours, you are in control.

BENEFITS TO YOUR CUSTOMER

- >> OPEN AND CLOSE THEIR GATE VIA THEIR SMARTPHONE
- >>> REMOTE ASSISTANCE FROM THE INSTALLER DURING POWER OUTAGES OR WHEN DAMAGE HAS OCCURED
- >> MANAGE FAMILY ACCESS
- ASSURANCE THAT SERVICE AND MAINTENANCE IS REMOTELY MONITORED

Security, safety and accessibility... All for FREE. An ALWAYS CONNECTED system has it all. Why wouldn't you want that for your customer?



Our dedicated Automation App is FREE to try for yourself.








THE CAME AUTOMATION APP





A POWERFUL APP THAT GIVES YOUR CUSTOMER ACCESS CONTROL AND SECURITY AT THIER FINGER TIPS


As an installer, whether you charge for the service of not, CAME Connect provides your customers with a host of benefits and add ons to their automation system.


Open and close automations at the touch of a button using a smartphone, preset scenarios for a daily routine or check the status when away from the property. Connect does it all.

Connect offers so much to the installer and the end user. Adding it to your system for FREE is a no brainer, however you choose to harness its power.

GIVING YOUR END USERS ULTIMATE CONTROL







DOWNLOAD THE APP TO SEE HOW EASY IT IS









ALWAYS NNECTED AUTOMATION KITS

18	SWING GATE AUTOMATION KITS
18	SWING GATE AUTOMATION KIT SELECTION GUIDE
20	FROG-AE UNDERGROUND SWING GATE AUTOMATION KITS
22	FROG-AEDX DELUXE UNDERGROUND SWING GATE AUTOMATION KITS
24	ATS WORK DRIVE SWING GATE AUTOMATION KITS
25	AXO WORM DRIVE SWING GATE AUTOMATION KITS
27	STYLO ARTICULATED ARM SWING GATE AUTOMATION KITS
28	FTX ARTICULATED ARM SWING GATE AUTOMATION KITS
29	FERNI ARTICULATED ARM SWING GATE AUTOMATION KITS
30	FROG-PLUS UNDERGROUND SWING GATE AUTOMATION KITS
32	SLIDING GATE AUTOMATION KITS
33	SLIDING GATE AUTOMATION KIT SELECTION GUIDE
34	BXV SLIDING GATE AUTOMATION KITS
36	RKV SLIDING GATE ALITOMATION KITS

38 AUTOMATIC BARRIER KITS

- 39 AUTOMATIC BARRIER KIT SELECTION GUIDE
- 40 GARD GT DELUXE BARRIER KITS
- 42 GARD PT DELUXE BRUSHLESS BARRIER KITS

44 GARAGE DOOR AUTOMATION KITS

44 VER PLUS

46 ACCESSORIES

- 47 TOP TRANSMITTERS
- 48 TTS TRANSMITTERS
- 50 RADIO CONTROL ACCESSORIES
- 51 BLUETOOTH SELECTORS
- 52 PUSH BUTTONS & KEYSWITCHES
- 54 CONNECT GATEWAY MODULES
- 56 PHOTOCELLS & SAFETY DEVICES
- 57 RIO WIRELESS SAFETY ACCESSORIES
- 58 EDG RESISTIVE SAFETY EDGES







GATE LENGTH

								<u> </u>	E LEN	<u> </u>						
	7m															
	6m															
Gate Length	5m															
Gate L																
	4m															
	3m															
	2m															
	1															
	1m															
Se	eries			•				Y							e de la companya de l	
Motor Type		FROG ATS PAGE 20 PAGE 24			AXO & AXO7 PAGE 25				STYLO PAGE 27	FTX PAGE 28	FEF PAG		FROG PAG			
		UNDER	GROUND			w	ORM DRIV	/E			ARTICULATED ARM			l	UNDERG	ROUND
Max v	leaf vidth	3.5m (11.5ft)	3.5m (11.5ft)	3m (10ft)	5m (16ft)	3m (10ft)	3m (10ft)	4m (13ft)	5m (16ft)	7m (23ft)	1.8m (6ft)	2.0m (7ft)	4m (13ft)	4m (13ft)	5.5m (18ft)	7m (23ft)
Co	Kit odes	FROG AES24 FROG AEP24	FROG AES FROG AEP	ATSS324 ATSP324	ATSS524 ATSP524	AXOS324 AXOP324	AXOS3 AXOP3	AXOS4 AXOP4	AXOS524 AXOP524	AXOS7 AXOP7	STYLO AS24 STYLO AP24 STYLO SS24 STYLO SP24	FTXS FTXP	FERNIE S24 FERNIE P24	FERNIE S FERNIE P	FROGPS5 FROGPP5	FROGPS7 FROGPP7

SELECTION GUIDE EXPLAINED

230V AC Motor 24V DC Motor 36V DC Motor

These products come with the CAME 3 year warranty.

24V DC motors are specifically designed for intensive use.

With the use of a battery backup card, they can also continue to function during a power outage.









№ FROG-AE 230V KITS

UNDERGROUND SWING GATE AUTOMATION WITH ENCODER. **FOR GATE LEAVES UP TO 3.5M**

Pair of gates kit shown.







WITH EVERY KIT

FROG-AE 230V KIT RANGE

Kit Code	Description		List Price*
FROGAE-P	For use with a pair of swing gates up to 400kg @ 3.5m or up to 800kg @ 2m per leaf. With FREE connectivity.	TESTED TESTED	1406.08
FROGAE-S	For use with a single swing gate up to 400kg @ 3.5m or up to 800kg @ 2m. With FREE connectivity.		941.20



- Frog gearmotors (single or pair)
- Foundation boxes (single or pair)
- Multifunction control panel
- · Release device with lever key
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide







FROG-AE 24V KITS

UNDERGROUND SWING GATE AUTOMATION WITH ENCODER, FOR GATE LEAVES UP TO 3.5M

Pair of gates kit shown.







WITH EVERY KIT

FROG-AE 24V KIT RANGE

Kit Code	Description		List Price*
FROGAE-P24	24V kit for use with a pair of swing gates up to 400kg @ 3.5m or up to 800kg @ 2m per leaf. With FREE connectivity.	(S) (EN)	1596.40
FROGAE-S24	24V kit for use with a single swing gate up to 400kg @ 3.5m or up to 800kg @ 2m. With FREE connectivity.	(S) (EN)	1047.28



- Frog gearmotors (single or pair)
- Foundation boxes (single or pair)
- Multifunction control panel
- · Release device with lever key
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.









FROG-AEDX 230V KITS

DELUXE UNDERGROUND SWING GATE AUTOMATION WITH ENCODER, FOR GATE LEAVES UP TO 3.5M

Pair of gates kit shown.







& 3 year **1NCE** 480mb SIM

WITH EVERY KIT

FROG-AE Deluxe Kits come complete with a pair of TOP-432EV dual channel transmitters and high security A4366 locks

FROG-AEDX 230V KIT RANGE

Kit Code	Description		List Price*
FROGAE-PDX	For use with a pair of swing gates up to 400kg @ 3.5m or up to 800kg @ 2m per leaf. With FREE connectivity.	(FINAL PROPERTY OF THE STEED	1515.00
FROGAE-SDX	For use with a single swing gate up to 400kg @ 3.5m or up to 800kg @ 2m. With FREE connectivity.	(EXILIDATE)	976.00



- Pair of dual channel TOP-432EV transmitters
- High security A4366 lock (single or pair)
- Frog gearmotors (single or pair)
- Foundation boxes (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide









▼ FROG-AEDX 24V KITS

DELUXE UNDERGROUND SWING GATE AUTOMATION WITH ENCODER, FOR GATE LEAVES UP TO 3.5M

Pair of gates kit shown.







& 3 year **1NCE** 480mb SIM

WITH EVERY KIT

FROG-AE Deluxe Kits come complete with a pair of TOP-432EV dual channel transmitters and high security A4366 locks


FROG-AEDX 24V KIT RANGE

Kit Code	Description		List Price*
FROGAE-PDX24	24V kit for use with a pair of swing gates up to 400kg @ 3.5m or up to 800kg @ 2m per leaf. With FREE connectivity.	(EX)	1681.00
FROGAE-SDX24	24V kit for use with a single swing gate up to 400kg @ 3.5m or up to 800kg @ 2m. With FREE connectivity.		1085.00



- Pair of dual channel TOP-432EV transmitters
- High security A4366 lock (single or pair)
- Frog gearmotors (single or pair)
- Foundation boxes (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide













MATS 24V KITS

WORM DRIVE SWING GATE AUTOMATION WITH ENCODER **FOR GATE LEAVES UP TO 5M**

Pair of gates kit shown.







WITH EVERY KIT

ATS KIT RANGE

Kit Code	Description	List Price*
ATS-P324	24V kit for use with a pair of swing gates up to 400kg @ 3m or up to 800kg @ 2m per leaf. With FREE connectivity.	1008.00
ATS-P524	24V kit for use with a pair of swing gates up to 400kg @ 5m or up to 1000kg @ 2m per leaf. With FREE connectivity.	1089.00
ATS-S324	24V kit for use with a single swing gate up to 400kg @ 3m or up to 800 kg @ 2m. With FREE connectivity.	697.00
ATS-S524	24V kit for use with a single swing gate up to 400kg @ 5m or up to 1000kg @ 2m. With FREE connectivity.	738.00

- ATS gearmotors (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- · Dual frequency 4-button rolling code transmitters
- · Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide







MAXO 230V KITS

WORM DRIVE SWING GATE AUTOMATION WITH ENCODER FOR GATE LEAVES UP TO 7M

7m pair of gates kit shown.



AXO KIT RANGE

Kit Code	Description		List Price*
AXO-P3	For use with a pair of swing gates up to 500kg @ 3m or up to 800kg @ 2m per leaf. With FREE connectivity.	EN	1190.80
AXO-P4	For use with a pair of swing gates up to 300kg @ 4m or up to 800kg @ 2m per leaf. With FREE connectivity.	EN	1189.76
AXO-P7	For use with a pair of swing gates up to 300kg @ 7m or up to 1000kg @ 2m per leaf. With FREE connectivity.		1255.12
AXO-S3	For use with a single swing gate up to 500kg @ 3m or up to 800kg @ 2m. With FREE connectivity.	EN	811.20
AXO-S4	For use with a single swing gate up to 300kg @ 4m or up to 800kg @ 2m. With FREE connectivity.	EN	811.20
AXO-S7	For use with a single swing gate up to 300kg @ 7m or up to 1000kg @ 2m. With FREE connectivity.		828.88

KIT CONTENTS

- AXO gearmotors (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide



We would always advise you to spec your jobs with safety edges. When you see this symbol it is necessary that at least one is used to achieve force testing compliance.

See page 58 for safety edge options.





*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.







WORM DRIVE SWING GATE AUTOMATION WITH ENCODER **FOR GATE LEAVES UP TO 5M**

5m pair of gates kit shown.







WITH EVERY KIT

AXO KIT RANGE

Kit Code	Description	List Price*
AXO-P324	24V kit for use with a pair of swing gates up to 500kg @ 3m or up to 800kg @ 2m per leaf	1229.28
AXO-P524	24V kit for use with a pair of swing gates up to 400kg @ 5m or up to 1000kg @ 2m per leaf	1275.04
AXO-S324	24V kit for use with a single swing gate up to 500kg @ 3m or up to 800kg @ 2m	855.92
AXO-S524	24V kit for use with a single swing gate up to 400kg @ 5m or up to 1000kg @ 2m	876.72

- AXO gearmotors (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- · Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide









STYLO 24V KITS

ARTICULATED ARM SWING GATE AUTOMATION WITH ENCODER FOR GATE LEAVES UP TO 1.8M

Single gate articulatred drive arm kit shown.





STYLO KIT RANGE

Kit Code	Description	List Price*
STYLOA-P24	24V articulated drive arm kit for use with a pair of swing gates up to 100kg @ 1.8m or up to 150kg @ 0.8m per leaf	1144.00
STYLOS-P24	24V slide arm kit for use with a pair of swing gates up to 100kg @ 1.8m or up to 150kg @ 0.8m per leaf	1285.44
STYLOA-S24	24V articulated drive arm kit for use with a single swing gate up to 100kg @ 1.8 or up to 150kg @ 0.8m	776.88
STYLOS-S24	24V slide arm kit for use with a single swing gate up to 100kg @ 1.8m or up to 150kg @ 0.8m	847.60

- Stylo gearmotors (single or pair)
- Drive arms (single or pair)
- Control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
 Dais of abote as
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide





*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.



FTX 24V KITS

ARTICULATED ARM SWING GATE AUTOMATION WITH ENCODER FOR GATE LEAVES UP TO 2M

Pair of gates kit shown.





FTX KIT RANGE

Kit Code	Description	List Price*
FTX-P	24V kit for use with a pair of swing gates up to 200kg @ 2m or up to 250kg @ 1m per leaf	992.00
FTX-S	24V kit for use with a single swing gate up to 200kg @ 2m or up to 250kg @ 1m	644.00



- FTX gearmotors (single or pair) with built in control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide





INVESTIGATION INVESTIGATION INVESTIGATIO

ARTICULATED ARM SWING GATE AUTOMATION WITH ENCODER FOR GATE LEAVES UP TO 4M

Pair of gates kit shown.







WITH EVERY KIT

FERNI KIT RANGE

Kit Code	Description		List Price*
FERNIE-P	For use with a pair of swing gates up to 400kg @ 4m or up to 800kg @ 2m per leaf	TESTED	1384.24
FERNIE-P24	24V kit or use with a pair of swing gates up to 400kg @ 4m or up to 800kg @ 2m per leaf	TESTED	1514.24
FERNIE-S	For use with a single swing gate up to 400kg @ 4m or up to 800kg @ 2m	TESTED TESTED	907.92
FERNIE-S24	24V kit or use with a single swing gate up to 400kg @ 4m or up to 800kg @ 2m	TESTED TESTED	997.36

- Ferni gearmotors (single or pair)
- Multifunction control panel
- Plug-in radio frequency code
- · Dual frequency 4-button rolling code transmitters
- · Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.









UNDERGROUND SWING GATE AUTOMATION FOR

LARGE INDUSTRIAL APPLICATIONS

Pair of gates kit shown.









FROG-PLUS KIT RANGE

Kit Code	Description	List Price*
FROGPLUS-P5	For use with a pair of swing gates up to 700kg @ 5.5m or up to 1800kg @ 1.5m per leaf	7473.44
FROGPLUS-P7	For use with a pair of swing gates up to 550kg @ 7m or up to 1000kg @ 4m per leaf	7473.44
FROGPLUS-S5	For use with a single swing gate up to 700kg @ 5.5m or up to 1800kg @ 1.5m	3952.00
FROGPLUS-S7	For use with a single swing gate up to 550kg @ 7m or up to 1000kg @ 4m	3952.00



We would always advise you to spec your jobs with safety edges. When you see this symbol it is necessary that at least one is used to achieve force testing compliance.

See page 58 for safety edge options.



- Frog-Plus gearmotors (single or pair)
- Foundation boxes (single or pair)
- Multifunction control panel
- Release device with lever key
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide







EDG EXPERT SERIES NEW & EASY TO INSTALL SELF ASSEMBLY RESISTIVE SAFETY EDGES



CAME's new EDG Expert Series self assembly range is designed to give installers the tools and flexibility to manufacturer their own resistive safety edges. Simple to manufacture and easy to install, EDG is supplied with an IP67 water resistance rating.


EDG is available to buy in 'off-the-shelf' kits in a range of standard sizes (1.5, 1.7, 2 and 2.5m lengths) or as individual components to keep as stock. Changing the

way you think about resistive safety edges, EDG is simple to assemble, cost effective and easy to order - making your installation easier than ever before!



MINIMAL COMPONENTS, SIMPLE ASSEMBLY

SEE PAGE 59 FOR FOR THE FULL EDG RANGE









Gate Weight

SLIDING GATE SELECTION GUIDE

GATE WEIGHT

				OATE WEIGH			
3500kg							
00001							
3000kg							
2500kg							
2300kg							
2000kg							
1500kg							
1000kg							
500kg							
Series							
Motor Type	BXV PAGE 34			BKV PAGE 36			
	RESIDENTIAL		INDUSTRIAL				
Max leaf weight	400Kg Mod 4	600Kg Mod 4	800Kg Mod 4	1000Kg Mod 4	1500Kg Mod 4	2000Kg Mod 4	2500Kg Mod 6
Kit Codes	BXV400 GSKIT BXV400 GFKIT	BXV600 GSKIT BXV600 GFKIT	BXV800 GSKIT	BXV1000 GSKIT BXV1000 GFKIT	BKV1500P	BKV 2000P	BKV 2500P

SELECTION GUIDE EXPLAINED

24V DC Motor

36V DC Motor



These products come with the CAME 3 year warranty.

24V DC motors are specifically designed for intensive use.

With the use of a battery backup card, they can also continue to function during a power outage.













SLIDING GATE AUTOMATION WITH ENCODER

FOR GATES UP TO 1000KG







WITH EVERY KIT

BXV KIT RANGE

Kit Code	Description	List Price*
BXV400GS-KIT	24V kit for use with a sliding gate up to 400 kg @ 14m	591.51
BXV600GS-KIT	24V kit for use with a sliding gate up to 600 kg @ 18m	680.21
BXV800GS-KIT	24V kit for use with a sliding gate up to 800 kg @ 20m	768.81
BXV1000GS-KIT	24V kit for use with a sliding gate up to 1000 kg @ 20m	821.39

Item Code	Description	List Price*
CGZ	Module 4 rack made of 22 x 22mm galvanised steel (per m)	20.80
CGZP	Module 4 rack made of 10 x 10mm PA6 nylon and steel-core fibre glass for sliding gates measuring up to 600kg, plus fastening brace (per m)	19.76
CGZS	Module 4 rack made of 30 x 8mm galvanised steel with fastening holes and distancers (per m)	22.88



- BXV gearmotor with built in control panel
- Plug-in radio frequency code
- · Dual frequency 4-button rolling code transmitters
- · Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide









SLIDING GATE AUTOMATION FOR

GATES UP TO 1000KG

BXV Rapid Kits have increased maximum opening and closing speeds.
BXV400GF max speed 22m/min
BXV600GF and
BXV1000GF max speed 20m/min.





WITH EVERY KIT

BXV RAPID KIT RANGE

Kit Code	Description	List Price*
BXV400GF-KIT	24V rapid kit kit for use with a sliding gate up to 400 kg @ 14m	617.80
BXV600GF-KIT	24V rapid kit for use with a sliding gate up to 600 kg @ 18m	729.85
BXV1000GF-KIT	24V rapid kit for use with a sliding gate up to 1000 kg @ 20m	899.31
Item Code	Description	List Price*
Item Code CGZ	Description Module 4 rack made of 22 x 22mm galvanised steel (per m)	List Price*



We would always advise you to spec your jobs with safety edges. When you see this symbol it may be necessary to use at least one to achieve force testing compliance, depending on the outcome of your risk assessment and motor configuration. See page 58 for safety edge options.



- BXV rapid gearmotor with built in control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide







*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.













INDUSTRIAL SLIDING GATE AUTOMATION WITH ENCODER FOR GATES UP TO 2500KG









BKV KIT RANGE

Kit Code	Description	List Price*
BKV1500P-KIT	36V kit for use with a sliding gate up to 1500 kg @ 20m	1114.00
BKV2000P-KIT	36V kit for use with a sliding gate up to 2000 kg @ 20m	1183.00
BKV2500P-KIT	36V kit for use with a sliding gate up to 2500 kg @ 20m	1292.00
Item Code	Description	List Price*

Item Code	Description	List Price*
CGZ	Module 4 rack made of 22 x 22mm galvanised steel (per m)	20.80
CGZS	Module 4 rack made of 30 x 8mm galvanised steel with fastening holes and distancers (per m)	22.88
CGZ6	Module 6 rack made of 30 x 30mm galvanised steel (per m)	45.76



We would always advise you to spec your jobs with safety edges. When you see this symbol it may be necessary to use at least one to achieve force testing compliance, depending on the outcome of your risk assessment and motor configuration. See page 59 for safety edge options.



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

- BKV gearmotor with built in control panel
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Tuned antenna
- Pair of photocells with 20m range
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide




















36V OF DC POWER

The brand new BKV has been designed specifically to guarantee efficiency and reliability in adverse weather conditions and daily heavy duty.




ADAPTIVE TORQUE

Constant speed control and adaptive power to meet changing conditions.



▲ FULL GRAPHICAL DISPLAY

Full backlit display, allowing rapid setup without the need to reference the manual.



▲ DIRECT DRIVE ROBUST MANUAL RELEASE SYSTEM
Key protected release lever that directly disengages the motor.




▲ CLOCK FUNCTION ON BOARD PROGRAMMING

Innovative timer to manage up to 8 automatically programmed scheduled activations to the motor or AUX relay terminals.




ADVANCED, FEATURE PACKED CONTROL BOARD

The ZN8 control panel offers many new innovative and exciting functions.



▲ FOUR PROGRAMMABLE SAFETY INPUTS
4 configurable safety circuits with 8k2 direct inputs onboard. Compatible with all safety devices such as photocells and resistive safety-edges.



▲ BATTERY COMPARTMENT

Large compartment suitable for batteries or accessories.







8m 7m 6m Road Width 5m 4m 3m 2m 1m Series **GARD GT4 GARD GT8 GARD PT GARD PX** Motor Type PAGE 40 PAGE 41 PAGE 42 PAGE 43 **DELUXE BRUSHLESS DELUXE** Max road Up to 3.8m Up to 4m Up to 4m Up to 6m Up to 8m Up to 3m Up to 3.8m Up to 3m width Mean cycles > 3 million > 2 million > 5 million between failures GT4-4M-KIT GT8-4M-KIT GT8-6M-KIT GT8-8M-KIT GARDPT3 GARDPT4 GARDPX3 GARDPX4 Kit Codes

SELECTION GUIDE EXPLAINED

230V AC Motor

24V DC Motor



These products come with the CAME 3 year warranty.

24V DC motors are specifically designed for intensive use.

With the use of a battery backup card, they can also continue to function during a power outage.











GARD GT4 KIT - 3 MILLION MCBF

DELUXE BARRIER FOR ROAD WIDTHS UP TO 4M







WITH EVERY KIT

GARD GT4 KIT

Kit Code	Description		List Price*
GT4-4M-KIT	Deluxe Gard GT4 barrier kit for road widths of up to 4m	3	1915.00



- Barrier with built in control panel
- White painted boom
- Fixed rest
- Red/green LED strips
- LED luminous cord
- · Connecting cable
- · Package of 20 red, reflective, adhesive strips
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide



List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.











GARD GT8 KITS - 3 MILLION MCBF

DELUXE BARRIER FOR ROAD WIDTHS UP TO 7.8M





WITH EVERY KIT

GARD GT8 KIT

Kit Code	Description	List Price*
GT8-4M-KIT	Deluxe Gard GT8 barrier kit for road widths of up to 4m	2250.00
GT8-6M-KIT	Deluxe Gard GT8 barrier kit with jointed telescopic boom for road widths of up to 6m	2340.00
GT8-8M-KIT	Deluxe Gard GT8 barrier kit with jointed telescopic boom for road widths of up to 7.8m	2433.00

*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

- Barrier with built in control panel
- White painted boom
- Fixed rest
- Red/green LED strips
- LED luminous cord
- · Connecting cable
- · Package of 20 red, reflective, adhesive strips
- · Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide

















DELUXE BRUSHLESS BARRIER FOR ROAD WIDTHS UP TO 3.8M









GARD PT KIT RANGE

Kit Code Description		List Price*
GARDPT3	Deluxe Gard PT brushless barrier kit for road widths of up to 3m	2411.42
GARDPT4	Deluxe Gard PT brushless barrier kit for road widths of up to 3.8m	2460.59



BRUSHLESS TECHNOLOGY

Mean cycles between failures > 2 million



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

- Barrier with brushless motor and built in control panel
- White painted boom & reinforcement
- Balancing springs
- Fixed rest
- Electric lock
- Red/green LED strips
- LED luminous cord
- Connecting cable
- Package of 20 red, reflective, adhesive strips
- Pair of photocells
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide





GARD PX KITS - 5 MILLION MCBF

DELUXE BRUSHLESS BARRIER FOR ROAD WIDTHS UP TO 3.8M





WITH EVERY KIT

GARD PX KIT RANGE

Kit Code	Description	List Price*
GARDPX3	Deluxe Gard PX brushless barrier kit for road widths of up to 3m	3279.03
GARDPX4	Deluxe Gard PX brushless barrier kit for road widths of up to 3.8m	3328.20



BRUSHLESS TECHNOLOGY

Mean cycles between failures > 5 million



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

KIT CONTENTS

- Barrier with encoder and built in control panel
- White painted boom
- Reinforcement
- LED luminous cord
- Connecting cable
- · Integrated flashing light
- Balancing spring
- Fixed rest
- Package of 20 red, reflective, adhesive strips
- Pair of photocells and supports
- Free GSM Connect module
- Free 3 year 480Mb SIM
- Full Instruction Manual and Setup Guide



SEE FOR YOURSELF

Scan the QR code to see the full GARD PX video, and contact us on 0115 921 0430 for further information.







► VER PLUS : 24V KITS

VERIO (1000N) AND VERI3 (1300N) GARAGE DOOR OPERATORS WITH PREMIUM BELT GUIDE





VER PLUS : KIT RANGE

Kit Code Description		List Price*	
VER10B-KIT	1000N garage door operator with silent belt guide for door up to 18m²		406.67
VER13B-KIT	1300N garage door operator with silent belt guide for door up to 21m ²		485.14

- VER PLUS automated operator with built in control board
- Premium belt guide
- Plug-in radio frequency code
- Dual frequency 4-button rolling code transmitters
- Free WIFI Key
- Full Instruction Manual and Setup Guide





VER PLUS ::• KEY FEATURES



▲ FULL CONTROL VIA SMARTPHONE APP
Complete control of your VER Plus using your smartphone for open/close, status feedback and scheduled tasks in scenarios and automated scenes.



▲ COMPATIBILITY WITH RIO WIRELESS SAFETY
VER Plus is fully compatible with the RIO wireless safety system inclusive of safety edge sensors, photocells and wireless flashing lights.



▲ PREMIUM BELT GUIDE TRACK

Heavy duty, virtually silent, premium belt guide designed for intense operating cycles in the most demanding installations.



▲ SERIOUS PULLING POWER

VER10 operates at 1000N on a garage door of up to 18m² with the VER13 operating at 1300N on a garage door of up to 21m².



▲ FULLY CONNECT COMPATIBLE
Full compatibility with Connect offering full control of the operator alongside feedback status, configuration settings, remote management and the ability to include VER within preset scenes and scenarios. No SIM required.



▲ BLUETOOTH SELECTOR COMPATIBLE

The external Bluetooth selector connects to the AutomationBT app and allows you to open the operator on approach or manually from your smartphone, using the Bluetooth connection.



▲ EASY TO ADD DIGITAL KEYPAD

Adding an external keypad couldn't be easier with the VER Plus and the R800 control card. Simply wire directly from the keypad to the operator for up to 250 individual access codes.



▲ EASY SETUP - LARGE EXTERNAL DISPLAY

4 button keypad with LCD display located on the outer casing for quick and easy external set up.



CAME CONNECT REMOTES

SECURE YOUR CUSTOMER'S SITE, ELIMINATE ROGUE TRANSMITTERS AND ASSURE YOUR FUTURE TRANSMITTER SALES

Protecting your customers automation system is paramount for their security. Now with ALWAYS CONNECTED kits, it has never been easier, or more secure, to enhance protection for their system.

- » Simply switch off transmitter auto-enrolment & password protect the control board.
- » The only way then to add a remote is via Connect, using a rolling code ALWAYS CONNECTED remote.
- ALWAYS CONNECTED remotes are rolling code so cannot be cloned, meaning your customer can be assured their system is secure.
- >> Provide comprehensive system management that makes it simple and easy for your customers to return to you time after time for their transmitters and spare parts.

3 WAYS TO ISSUE CONNECTED REMOTES TO YOUR CUSTOMERS

SET UP THE REMOTE USING THE QR & SEND IT OUT PRE-PROGRAMMED

You can send out a fully functioning remote to your customers at the drop of a hat and you won't even need to leave the comfort of your office. Using CAME Connect, simply scan the QR on the packing, add it the remote to the automation system and it is ready to be delivered to the customer fully functioning. Easy for them, simple and secure for you.

2 SEND OUT AN UNPROGRAMMED REMOTE

Send out an unprogrammed remote. Add the remote the the system using CAME Connect to put the board into acquisition mode remotely, and talk the customer through the process of adding it onto the board.

3 SEND OUT AN UNPROGRAMMED REMOTE & ASK YOUR CUSTOMER TO SET IT UP USING THE REMOTE

Send out the remote, get your customer to use the QR on the packing to add the remote to the system following the in app instructions. Its that simple. From a customer service point of view, and to manage the it addition correctly, you might be better off sending out a preprogrammed remote.



FOUR CHANNEL TRANSMITTERS

TOP ROLLING CODE TRANSMITTERS



INDIVIDUAL TRANSMITTERS

	Item Code	Description	List Price*
•	806TS-0112	Rolling code transmitter, over 4 million combinations. 2 Channel. Available in six different colours.	22.94
%	806TS-0122	Rolling code transmitter, over 4 million combinations. 4 Channel. Available in six different colours.	25.46

KIT CONTENTS

- Dual frequency 4-button rolling code transmitter x 6
- Always Connected kits include the black Top rolling code transmitter.

TOP KIT

Kit Code	Description	List Price*
8K06TS-001	TOP rolling code transmitter, over 4 million combinations. 4 channel pack of 6.	137.50

Available in six different colours. Please ask for full details.






ROLLING CODE

Dual frequency 433.92 and 868.35 Mhz radio control with non-clonable code. Available in 2 and 4 channel versions in 6 colours.

^{*}List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.



TTS TRANSMITTERS PREMIUM ROLLING & FIXED CODE FOUR CHANNEL TRANSMITTERS



TTS TRANSMITTER RANGE


Kit Code	Description		List Price*
806TS-0250	TTS44RKS - Four-channel 433.92 MHz rolling code transmitter. 4,294,967,896 combinations.		49.00
806TS-0240	TTS44FKS - Four-channel transmitter with new fixed code encoding at 433.92 MHz and self-learning function for TOP, TAM and TWIN series radio controls.		49.00
806TS-0230	TTSD4RKS - Double frequency four-channel rolling code transmitter. 4,294,967,896 combinations.	6	49.00

FEATURES

- · Available in rolling code and fixed code versions.
- Self-learning from transmitter to transmitter.
- Self-learning from TOP, TAM and TWIN series radio controls.
- Removable battery compartment for easy replacement.
- Multi-user function for fixed code version.
- More secure thanks to the dynamic code for the rolling code version.











RADIO CONTROL ACCESSORIES

SNAP-IN 433.92 MHZ RECEIVERS







Item Code	Description	List Price*
AF43S	433,92 MHz plug-in radio frequency card	30.16
AF43SR	433.92 MHz plug-in radio frequency card for maximum 25 transmitters	106.08
AF43TW	433,92 MHz plug-in radio frequency card.	43.68

868.35 MHZ PLUG-IN RECEIVERS FOR: 806TS-0230





Item Code	Description	List Price*
AF868	868.35 MHz plug-in radio frequency card.	31.20
AF868R	868.35 MHz plug-in radio frequency card for maximum 25 transmitters.	33.90

24V AC - DC EXTERNAL MODULES



Item Code	Description	List Price*
806RV-0010	RBE4024 - Four-channel surface-mounted multi-user IP54 receiver module, 24 V AC - DC to store up to 3000 different users (codes), for TOP, TAM, ATOMO D, TWIN and TTS series.	157.77

120 - 230V AC EXTERNAL MODULES



Item Code	Description	List Price*
806RV-0020	RBE4230 - Four-channel surface-mounted multi-user IP54 receiver module, 120 - 230 V AC to store up to 3000 different users (codes), for TOP, TAM, ATOMO D, TWIN and TTS series.	179.69

EXTERNAL, 12 - 24V AC - DC, RADIO RECEIVERS





Item Code	Description	List Price*
RE432M	Two-channel 433.92 MHz surface-mounted IP54 12 - 24 V AC - DC receiver for storing up to 50 different users (codes), with TOP, TAM, ATOMO D, TWIN and TTS coding.	66.56
RE862M	Two-channel 868.35 MHz surface-mounted IP54 12 - 24 V AC - DC receiver for storing up to 50 different users (codes), with TOP, TAM, ATOMO D and TTS coding.	66.56

ANTENNAS FOR: 001KLED - 001KLED24



Item Code	Description	List Price*
TOP-A862N	Antenna tuned at 868.35 MHz	22.88
TOP-A433N	Antenna tuned at 433.92 MHz	21.84

^{*}List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

BLUETOOTH SELECTORS

FOR USE WITH THE ENTIRE RANGE OF CONNECTED OPERATORS





THE BLUETOOTH SELECTOR RANGE

Item Code	Description	List Price*
806SL-0210	SELB1SDG1 - Surface mounted bluetooth digital switch. 15 users.	148.00
806SL-0240	SELB1SDG2 - Surface mounted bluetooth digital switch. 50 users.	225.00
806SL-0250	SELB1SDG3 - Surface mounted bluetooth digital switch. 250 users.	348.00

SEL BT uses Bluetooth technology within your smartphone to automatically open your gate when you arrive within a specified distance of the Bluetooth selector.

All you need to do is download the Automation BT App, pair the devices and you'll have instant hands free access to your property.



DOWNLOAD THE AUTOMATIONBT APP TO SEE HOW EASY IT IS












PUSHBUTTONS & KEYSWITCHES

WITH OTHER ACCESSORIES

PUSH BUTTONS & KEYSWITCHES



OTHER ACCESSORIES

















tem Code	Description	List Price
LOCK81	Electric lock with one cylinder	101.9
LOCK82	Electric lock with two cylinders	108.1
306SL-0230	Control card for use with all keypads	68.4
EM10010EM	Surface mounted magnetic lock	98.00
EM500ZLW	L&Z Bracket	54.10
EM100SEM	L Bracket	21.80
TA433N	TOP-A433N antenna.	21.84
DL3509	DVK cable protection sleeve.	13.00
SMA	SMA induction loop control board. Single loop - 1 Channel.	226.72
SMA2	SMA induction loop control board. Two loops - 2 Channel.	321.30
NDCABLE	Induction loop cable (50m lengths)	65.52







With the CXN line of accessories with BUS technology, installation can be completed more easily and quickly. Each individual accessory can be configured after completing installation and setting the address of each device. It is also possible to obtain a complete diagnosis on each device.

EVERYTHING WITH TWO WIRES!

CXN is a non-polarized 2-wire BUS system for the installation of all compatible CAME accessories:

- **KEYPAD SELECTORS** (806SL-0280 and 806SL-0290)
- TRANSPONDER SENSORS (806SL-0300 and 806SL-0310)
- DLX SERIES PHOTOCELLS (806TF-0090 and 806TF-0100)
- DXR SERIES PHOTOCELLS (806TF-0110)
- KRX SERIES FLASHING LIGHT (806LA-0050)





CONNECT GATEWAY MODULES

WIFI / ETHERNET & GSM GATEWAYS




WHY NOT ADD CONNECT FUNCTIONALITY TO YOUR EXISTING INSTALLATIONS?

FOR GSM MOBILE AND WIFE

GATEWAY RANGE

Kit Code	Description	List Price*
RGSM-1NCE	GSM Connect module with 3 year 1nce 480MB SIM, antenna cable and bracket. See page 6 for full details. FREE with Always Connected kits.	189.00
806SA-0130	CAME QBE Ethernet/WiFi gateway.	169.00
806SA-0040	Radio SLV Controls up to 3 CAME operators in conjunction with QBE or RGSM.	95.00
806SA-0020	RGSM Standalone. Uses a GSM SIM to connect to the internet.	129.00
806SA-0010	RGSM Master Communicates with up to 5 additional Radio SLV modules.	149.00



*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

QBE FEATURES

- · Super-fast set-up.
- No need for mobile signal connects directly to your client's router via either LAN cable or WiFi
- DHCP or static IP address no IP changes, no DDNS, no port forwarding required for standard installation
- Can communicate with up to five Radio SLV modules over the radio frequency connection, up to 100m away
- Two models available: Ethernet/ WiFi Automation only version or Ethernet/WiFi Full Smart Home version

RADIO SLV FEATURES

- Can only be used in conjunction with either the QBE or RGSM master gateways
- Fitted to the control panel of the operator
- Control up to three CAME operators
- Communicates wirelessly up to 100m with the QBE or RGSM
- Easy third-party activation & functional switching
- Incredibly small size

















CAME KEY RANGE

Item Code	Description	List Price*	
806SA-0140	Gateway to connect the operator to the cloud via WiFi or locally via Bluetooth mode (5 users).	107.00	
806SA-0150	Secondary module to connect the operator to the CAME Connect gateways.	90.00	

ROSM Stants Sach Stants

*List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

FEATURES

To use, simply plug CAME KEY into the devices control board and download the free CAME SETUP App. Once connected to a smartphone or tablet.

CAME KEY allows:

- Fast configuration of the device
- Firmware updates to the device
- Management of the transmitters, keypad codes and proximity cards
- Local and cloud back-up of the device configuration, and much more!



SEE FOR YOURSELF

Scan the QR code to see the full CAME Key video, and contact us on 0115 921 0430 for further information.





PHOTOCELLS & SAFETY DEVICES

DELTA SAFETY PHOTOCELLS









Item Code	Description	List Price*
DELTA-I	Delta safety infrared photocells with a 20m range. Flush mount with casing.	62.40
DELTA-E	Delta safety infrared photocells with a 20m range. Surface mount.	66.56
DELTA-SI	Delta synchronised infrared photocells with a 20m range. Flush mount with casing.	60.32
DELTA-SE	Delta synchronised infrared photocells with a 20m range. Surface mount.	62.40
DOCR	Steep support bracket for Delta photocells. Also works with SET-E control panels.	6.24

DIR SAFETY PHOTOCELLS



Item Code	Description	List Price*
DIR10	Pair of surface mounted synchronised infrared safety beams with 10m range.	48.88
DIR20	Pair of surface mounted synchronised infrared safety beams with 20m range.	66.56
DIR30	Pair of surface mounted synchronised infrared safety beams with 30m range.	80.08

DXR ROTATIONAL SAFETY PHOTOCELLS



Item Code	Description	List Price*
806TF-0030	DXR20CAP - Pair of surface mounted synchronised, rotating infrared photocells. Range 20m. 12 - 24V AC-DC.	92.00
806TF-0040	DXR20CAM - Pair of aluminium surface mounted synchronised, rotating infrared photocells. Range 20m. 12 - 24V AC-DC.	107.00
806TF-0060	DXR10BAP - Pair of surface mounted synchronised, rotating infrared photocells. Range 20m. 12 - 24V AC-DC and battery (included).	107.00

SUPPORT COLUMNS




Item Code	Description	List Price*
DOCLN	0.5m column for DELTA I & SI photocells, in black enamel.	39.52
DOCL	0.5m column for DELTA I & SI photocells, in aluminium.	39.52
DIRLN	0.5m column for DIR photocells, in black enamel.	31.20
DIRCG	0.5m column for DIR photocells, in silver PVC.	22.88
DIR-CGP	0.5m extension for adding extra DIR photocells, in silver PVC.	18.72

^{*}List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.



RIO WIRELESS SAFETY ACCESSORIES



RIO SYSTEM 2.0. COMPLETELY SAFE, NO WIRES

RIO System 2.0 is the innovative radio-based safety system that needs no wired connection between the control module and the safety accessories. Control module, photocells, sensitive safety-edge and flashing light all make up a complete system based on totally wireless transceiver-technology.

PRODUCT FEATURES

- Quicker fitting times compared to traditional installations
- No digging or masonry work required, or cables to lay
- Elegant, low-key design
- Compatible with any control panel
- Total safety in compliance with European standards
- Immediately brings your systems up to code, even if they are non compliant

RESISTIVE EDGE WIRELESS SAFETY KITS





Kit Code	Description		List Price*
RIOEDGECTL1	RIO Edge external radio-control module and 1 wireless module for controlling resistive sensitive safety edges.	(sk2)	182.00
RIOEDGECTL2	RIO Edge external radio-control module and 2 wireless modules for controlling	<u> </u>	275.60

THE COMPLETE RANGE











Item Code	Description	List Price*
806SS-0050	RIOCN8WS - Snap-in, radio-based control module for managing up to 10 wireless RIO devices.	106.08
806SS-0040	RIOCT8WS - External radio-control module for managing up to 3 RIO wireless accessories. Range 30m.	55.12
806SS-0030	RIOLX8WS - Wireless battery powered flashing light.	93.60
806SS-0010	RIOPH8WS - Pair of wireless, infrared-beam photocells. Range 10m.	117.52
806SS-0020	RIOED8WS - Wireless module for controlling resistive sensitive safety-edges.	87.36
DB-LN	0.5m column for RIO photocells, in black enamel	31.20
DB-CG	0.5m column for RIO photocells, in PVC (RAL9006)	31.20
DB-L	0.5m column for RIO photocells, in anodized aluminium	31.20

^{*}List Price correct at time of print, (November 2021). Due to global increasing costs of raw materials CAME anticipate a list price increase of approximately 6% effective from 01/02/2022. If ordering after this date please confirm pricing with your local CAME sales office.

EDG EXPERT SERIES NEW & EASY TO INSTALL SELF ASSEMBLY RESISTIVE SAFETY EDGES




CAME's new EDG Expert Series self assembly range is designed to give installers the tools and flexibility to manufacturer their own resistive safety edges. Simple to manufacture and easy to install, EDG is supplied with an IP67 water resistance rating.

EDG is available to buy in 'off-the-shelf' kits in a range of standard sizes (1.5, 1.7, 2 and 2.5m lengths) or as individual components to keep as stock. Changing the

way you think about resistive safety edges, EDG is simple to assemble, cost effective and easy to order - making your installation easier than ever before!



MINIMAL COMPONENTS, SIMPLE ASSEMBLY







SELF ASSEMBLY RESISTIVE SAFETY EDGE COMPLETE KITS




Get real-time updates to your

KIT CONTENTS

- Rubber contact profile
- · Aluminium mounting rail
- End caps
- Connection cables
- Full installation and resizing instructions







EDG-49 49mm profile safety edge to fit **36mm** rail

	45r	mm
74mm	To the state of th	
13mm	36n	<u></u>

EDG-74 74mm profile safety edge to fit **36mm** rail



EDG-99 99mm profile safety edge to fit 36mm rail

EDG KIT RANGE

Description

Kit Code

	· · · · · · · · · · · · · · · · · · ·		
806ED-0130	EDGH15R1 49mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.5m maximum length.	86.50	103.80
806ED-0131	EDGH17R1 49mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.7m maximum length.	93.10	111.70
806ED-0132	EDGH20R1 49mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2m maximum length.	99.60	119.50
806ED-0133	EDGH25R1 49mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2.5m maximum length.	112.80	135.40
806ED-0140	EDGI15R1 74mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.5m maximum length.	95.30	114.40
806ED-0141	EDGI17R1 74mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.7m maximum length.	104.00	124.80
806ED-0142	EDGI20R1 74mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2m maximum length.	111.70	134.00
806ED-0143	EDGI25R1 74mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2.5m maximum length.	128.10	153.70
806ED-0150	EDGL15R1 99mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.5m maximum length.	106.20	127.40
806ED-0151	EDGL17R1 99mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 1.7m maximum length.	115.00	138.00
806ED-0152	EDGL20R1 99mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2m maximum length.	125.90	151.10
806ED-0153	EDGL25R1 99mm x 45mm profile. Complete resizeable resistive safety edge kit inc. 36mm aluminium mounting rail for safety edges up to 2.5m maximum length.	145.60	174.70

GENERAL CONDITIONS OF SALE

CAME BPT UK LTD ("THE SELLER") / CAME BPT IE LTD ("THE SELLER")

The Buyer's attention is drawn in particular to the provisions of clause 10.

INTERPRETATION

Definitions. In these Conditions, the following definitions apply:

any additional charges arising under the Contract payable by the Buyer in Additional Charges:

addition to the price for the Goods and "Additional Charge" shall mean any one of

the Additional Charges.

Buyer: the person firm or company who buys or agrees to buy the Goods from the Seller

Conditions these terms and conditions of sale

Contract: the contract between the Seller and the Buyer for the sale and purchase of

Goods in accordance with these Conditions.

the date specified by the Seller when the Goods are to be delivered or other such date as may be agreed by the parties in writing;

the location set out in the Order or such other location as the parties may agree

Delivery Location: in writing, or where no such location is specified, the Buyer's premises detailed

on the quotation given by the Seller to the Buyer in respect of the Goods.

Force Majeure Event: as defined in clause 11.1.

all goods (or any part thereof) set out in the Order

Group: in relation to a company, that company, any subsidiary or holding company (as defined in section 1159 of the Companies Act 2006) of that company, and any

subsidiary of a holding company of that company

Order the Buyer's order for the Goods, as set out in the Buyer's purchase order form,

the Buyer's written acceptance of the Seller's quotation, or overleaf, as the case

Seller UK CAME BPT UK Limited, registered in England and Wales with company number 03267714, whose registered office is Unit 1B, Willow Farm Business Park, Castle

Donington, Derby, DE74 2US.

Seller IF: CAME BPT IF, registered in Ireland with company number 420195 whose registered office

is Unit 9, The Westway Centre, Ballymount, Dublin 12, Ireland.

the charge for wasted time at the Seller's standard rate for wasted time of £1 (one pound) / Wasted Time Rate

€1 (one euro) per minute up to and including 30 (thirty) minutes and thereafter at a charge of £2 (two pounds) / €2 (two euros) per minute, or such other charge as notified to

1.2 Construction. In these Conditions, the following rules apply:

A person includes a natural person, corporate or unincorporated body

(whether or not having separate legal personality).

(b) A reference to a party includes its personal representatives, successors or

permitted assigns.

A reference to a statute or statutory provision is a reference to such statute or

provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or

statutory provision, as amended or re-enacted

(d) Any phrase introduced by the terms including, include, in particular or any similar

expression shall be construed as illustrative and shall not limit the sense of the

(e) A reference to writing or written includes faxes and e-mails

BASIS OF CONTRACT

- These Conditions shall apply to the sale by the Seller of all Goods purchased by the Buyer and these Conditions shall govern the Contract to the exclusion of any other terms and conditions introduced or submitted by the Buyer
- The Order constitutes an offer by the Buyer to purchase the Goods in accordance with these Conditions. The Buyer is responsible for ensuring that the terms of the Order and any applicable specification of the Goods are complete and accurate
- The Order shall only be deemed to be accepted when the Seller acknowledges the Order in writing and not before, at which point the Contract shall come into existence.
- Any tenders or quotations will not constitute an offer. Any tenders or quotations submitted to the Buyer shall remain valid for the period stated therein, but if no period is specified such tenders and quotations shall be valid for 30 days from the date thereof. All tenders and quotations shall be
- Any typographical, clerical or other error or omission in any sales literature, quotation, pricelist, acceptance of offer, invoice or other documentation or information issued by the Seller shall be subject to correction without any liability on the part of the Seller.
- The Seller's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by an authorised director of the Seller in writing. In entering into the Contract the Buyer acknowledges that it does not rely on any such representations which are not so confirmed, save that nothing in these Conditions shall exclude the Sellers liability for fraudulent misrepresentation.
- No Order which has been accepted by the Seller may be cancelled by the Buyer except with the agreement in writing of the Seller and on terms that the Buyer shall indemnify the Seller in full against all loss (including loss of profit), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by the Seller as a result of cancellation

GOODS

- The Goods are described in the Seller's catalogue as modified by any applicable specification
- 3.2 Unless the Seller agrees otherwise, only the specifications referred to in the quotation shall form part of the Contract.
- The Seller reserves the right subject to giving prior written notice to the Buyer to modify the said specifications where the Goods cannot in the opinion of the Seller be manufactured according to the said specifications and the Buyer agrees to accept the Goods as manufactured according to the specifications so modified in satisfaction of the Seller's obligations as to nanufacture of the Goods under the Contract.
- To the extent that the Goods are to be manufactured in accordance with a specification supplied by the Buyer, the Buyer shall indemnify the Seller against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other reasonable professional costs and expenses) suffered or incurred by the Seller in connection with any claim made against the Seller for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the Seller's use of such specification. This clause 3.2 shall survive termination of the Contract.
- The Seller reserves the right to make any changes to the Goods:
 - which are required so that the Goods conform with any applicable statutory or EU requirement; or
 - where such changes to the Goods do not materially affect the quality or performance of

SAFETY

Any Goods supplied by the Seller shall be handled correctly by the Buyer and in accordance with any of the Seller's instructions as notified to the Buyer from time to time. The Buyer must ensure that all appropriate safety precautions are taken and that its staff is aware of and comply with all storage and usage instructions

DELIVERY

- Unless otherwise agreed by the Seller in writing, the Seller will deliver the Goods to the Delivery Location
- 5.2 The Seller will reasonably endeavour to deliver the Goods on the Delivery Date, but the time of delivery or performance shall not be of the essence. The Seller shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Buyer's failure to provide the Seller with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
- If the Seller fails to deliver the Goods (or any instalment thereof) the Seller's liability shall be limited to the excess (if any) of the cost to the Buyer (in the cheapest available market) of similar goods to replace those not delivered over the Price of the Goods. The Seller shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event the Buyer's fault, or the Buyer's failure to provide the Seller with adequate instructions in relation to delivery or otherwise.
- The Buyer shall provide the Seller with clear delivery instructions and accept delivery on the Delivery Date and at the Delivery Location. Upon delivery the Buyer shall sign a delivery note which will be conclusive evidence that delivery of the Goods has been made.
- Unless the Seller agrees otherwise in writing, the Seller shall unload the Goods. The Buyer shall ensure that at least one representative is available to assist the Seller during the unloading of the Goods. Other than by reason of the Seller's fault, the Buyer shall be charged, as an Additional Charge, for wasted time at the Wasted Time Rate and any other expenses incurred by the Selle
 - any delay caused by the Buyer's inability or unwillingness to accept delivery of, or to (a)
 - each repeat delivery where the Seller or Seller's carrier leaves the Delivery Location and subsequently returns to the Delivery Location with the Goods
- If the Buyer fails to accept delivery of the Goods within three Business Days of the Seller notifying the Buyer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or the Seller's failure to comply with its obligations under the Contract:
 - delivery of the Goods shall be deemed to have been completed at 9.00am on the third working day after the day on which the Seller notified the Buyer that the Goods were ready; and
 - the Seller will store the Goods until delivery takes place, and charge the Buyer for all related costs and expenses (including insurance).
- If the Buyer has not accepted delivery of the Goods within 10 working days from day after the Seller notified the Buyer that the Goods were ready for delivery, the Seller may resell or otherwise dispose of part or all of the Goods and, after deducting reasonable storage and selling costs, account to the Buyer for any excess over the price of the Goods or charge the Buyer for any shortfall below the
- The Seller shall have the right to deliver any Goods ordered in instalments. Failure by the Seller to deliver any one or more of the instalments in accordance with these Conditions or any claim by the Buyer in respect of the Goods delivered in any one or more instalments shall no entitle the Buyer either to treat the Contract as a whole as repudiated or to reject or refuse to take delivery of any of the Goods delivered in any other instalment.

RISK AND TITLE

- Risk in the Goods shall pass to the Buyer at the time of delivery, or if the Buyer wrongfully fails to take delivery, the time when delivery is deemed to have taken place in accordance with clause
- Title to the Goods shall not pass to the Buyer until the earlier of:
 - the Seller receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Seller has supplied to the Buyer in respect of which payment has become due, in which case title to the Goods shall pass at the time of payment of all
 - the Buyer resells the Goods, in which case title to the Goods shall pass to the Buyer at the time specified in clause 6.4.
- Until title to the Goods has passed to the Buyer, the Buyer shall
 - store the Goods separately from all other goods held by the Buyer so that they remain r eadily identifiable as the Seller's property;
 - not remove, deface or obscure any identifying mark or packaging on or relating to the (b) Goods
 - (c) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
 - notify the Seller immediately if it becomes subject to any of the events listed in clause 13.1;
 - give the Seller such information relating to the Goods as the Seller may require from (e) time to time; and (f) not pledge or in any way charge by way of security for any indebtedness any of the
- Subject to clause 6.5, the Buyer may resell or use the Goods in the ordinary course of its business (but not otherwise) before the Seller receives payment for the Goods. However, if the Buyer resells the Goods before that time:
 - it does so as principal and not as the Seller's agent; and
 - (b) title to the Goods shall pass from the Seller to the Buyer immediately before the time at which resale by the Buyer occurs.
- If before title to the Goods passes to the Buyer the Buyer becomes subject to any of the events listed in clause 13.1, then, without limiting any other right or remedy the Seller may have
 - the Buyer's right to resell the Goods or use them in the ordinary course of its business (a) ceases immediately; and
 - the Seller may at any time:
 - require the Buyer to deliver up all Goods in its possession which have not been (i) resold, or irrevocably incorporated into another product; and
 - if the Buyer fails to do so promptly, enter any premises of the Buyer or of any third party where the Goods are stored in order to recover them.

7. PRICE

- 7.1 The price for the Goods shall be the price specified by the Seller in the quotation or, if no price is quoted, the price set out in the Seller's published price list in force as at the date of delivery.
- 7.2 Unless otherwise agreed in writing, the price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Buyer as an Additional Charge.
- 7.3 The price of the Goods and any Additional Charges are exclusive of amounts in respect of value added tax (VAT). The Buyer shall, on receipt of a valid VAT invoice from the Seller, pay to the Seller such additional amounts in respect of VAT as are chargeable on the supply of the Goods.
- 7.4 List Prices shown in this price list are displayed in (£) for UK and (€) for Ireland.
- 7.5 The Seller may, by giving notice to the Buyer at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:
 - any factor beyond the Seller's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
 - (b) any request by the Buyer to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or
 - any delay caused by any instructions of the Buyer or failure of the Buyer to give the Seller adequate or accurate information or instructions.

8. PAYMENT

- 8.1 The Seller shall be entitled to invoice the Buyer for price of the Goods and any Additional Charges on or at any time before dispatch of the Goods or any instalment thereof. In the event that any Additional Charges arise following the issue by the Seller of the invoice, the Seller shall be entitled to invoice the Buyer as and when the Additional Charges arise.
- 8.2 Unless otherwise agreed in writing, the Buyer shall pay the invoice in full and in cleared funds by the date specified in the invoice or where no date or time frame is specified within 30 calendar days of the date of the invoice. Payment shall be made to the bank account nominated in writing by the Seller. Time of payment is of the essence.
- 8.3 The Buyer shall make payment for the price of the Goods in Sterling (euros) unless agreed otherwise in writing. Any payment received by the Seller in any other currency will not be deemed to be payment for the Goods in question. Where the Buyer makes payment for the Goods by cheque the Seller reserves the right to charge a surcharge of £10.00 in the event that any cheque rendered in payment of the Seller's invoices initially refused.
- 3.4 If the Buyer fails to make payment due to the Seller under the Contract by the due date for payment then, without prejudice to any other right or remedy available to the Seller:
 - all invoices issued to the Buyer by the Seller in respect of any Goods sold or supplied pursuant to the Contract or any goods sold or supplied pursuant to any other contract shall immediately fall due for payment;
 - (b) any credit, settlement terms, supply of goods or discount rates offered or extended by the Seller to the Buyer in respect of the same shall be cancelled immediately;
 - (c) the Buyer shall pay interest on the overdue amount at the rate of 10% per annum above Seller's bank's base rate from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Buyer shall pay the interest together with the overdue amount; and
 - (d) the Seller shall be entitled to suspend any further deliveries of any Goods or goods agreed to be sold by the Seller to the Buyer or any instalment thereof (being the subject of the Contract or any other contract).
- 8.5 The Buyer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Seller may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Buyer against any amount payable by the Seller to the Buyer.

9. WARRANTY

- 9.1 The Seller warrants that:
 - (a) the Goods will correspond with the Seller's specification for them on delivery
 - (b) the Goods (except those wear items that are listed in the Seller's guide entitled "Operations Guide Relating to the Goods" as notified to the Buyer and as amended from time to time) manufactured by the Seller or its Group, will be free from material defects for 3 years from the Delivery Date; and
 - where the seller is supplying goods from other manufacturers; their standard recommended warranty will apply.

9.2 Subject to clause 9.3, if:

- the Buyer gives notice in writing to the Seller immediately on discovery but in any event within 14 days
 of discovery that some or all of the Goods do not comply with the warranty set out in clause 9.1;
- (b) the Seller is given a reasonable opportunity of examining such Goods; and
- (c) the Buyer (if asked to do so by the Seller) returns such Goods to the Seller's place of business at the Buyer's cost, the Seller shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.
- 9.3 The Seller shall not be liable for Goods' failure to comply with the warranty set out in clause 9.1 in any of the following events:
 - (a) the Buyer makes any further use of such Goods after giving notice in accordance with clause 9.2;
 - (b) the defect arises because the Buyer failed to follow the Seller's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same;
 - (c) the defect arises as a result of the Seller following any drawing, design or Specificatio supplied by the Buyer;
 - (d) the Buyer alters or repairs such Goods without the written consent of the Seller;
 - (e) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or
 - (f) the Goods differ from their description specification as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.
- 9.4 Except as provided in this clause 9, the Seller shall have no liability to the Buyer in respect of the Goods failure to comply with the warranty set out in clause 9.
- 9.5 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.
- 9.6 These Conditions shall apply to any repaired or replacement Goods supplied by the Seller

10. LIABILITY

- 10.1 Nothing in these Conditions shall limit or exclude the Seller's liability for:
 - (a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
 - (b) fraud or fraudulent misrepresentation;
 - (c) breach of the terms implied by section 12 of the Sale of Goods Act 1979;
 - (d) defective products under the Consumer Protection Act 1987; or

- (e) any matter in respect of which it would be unlawful for the Seller to exclude or restrict liability.
- 10.2 Subject to clause 10.1:
 - (a) the Seller shall under no circumstances whatever be liable to the Buyer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, goodwill or any indirect or consequential loss arising under or in connection with the Contract; and
 - (b) the Seller's total liability to the Buyer in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 100% of price of the Goods.

1. FORCE MAJEURE

- 11.1 The Seller shall not be liable to the Buyer nor be deemed to be in breach of Contract by reason of any delay in performing, or any failure to perform, any of the Seller's obligations in relation to the Contract if the delay or failure was due to a Force Majeure Event. The following shall (without limitation) be
 - regarded as Force Majeure Event:
 - (a) act of God, explosion, flood, tempest, fire or accident;
 - (b) war or threat of war, sabotage, insurrection, terrorism, civil disturbance or requisition;
 - acts, restrictions, regulations, bye-laws, prohibitions or measures of any kind on the part of any governmental, parliamentary or local authority;
 - (d) import or export regulations or embargoes;
 - strikes, lock-outs or other industrial actions or trade disputes (whether involving employees of the Seller or of a third party);
 - (f) difficulties in obtaining raw materials, labour, fuel, parts or machinery; and
 - (g) power failure or breakdown in machinery.

12. INTELLECTUAL PROPERTY

- 12.1 All specifications, drawings, designs and technical description, and all documents and information and "know-how" whatsoever supplied by the Seller to the Buyer is as between the Seller and the Buyer the Seller's intellectual property and shall at all times be treated by the Buyer as confidential and shall not without the prior written consent of the Seller be used by the Buyer except for the purposes of the Contract.
- 12.2 The Buyer will indemnify the Seller against all actions claims demands costs charges, penalties, royalties and expenses arising directly or indirectly or incurred by reason of any infringement or alleged infringement of or any right attributable to any letters patent, registered design trade mark, trade name, copyright or proprietary right arising from the use of any instructions, specifications or designs whether express or implied supplied by the Buyer to the Seller.

13. INSOLVENCY OF BUYER

- 13.1 This Condition applies if:
 - (a) the Buyer makes any voluntary arrangement with its creditors or (being an individual or firm) becomes bankrupt or (being a company) becomes subject to
 - an administration order or goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction); or
 - (b) an encumbrancer takes possession or a receiver is appointed, of any of the property or assets of the Buyer; or
 - (c) the Buyer ceases, or threatens to cease, to carry on business; or
 - (d) the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly.
- 13.2 If this Condition applies then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to terminate the Contract with immediate effect by giving written notice to the Buyer and/or suspend any further deliveries under the Contract without any liability to the Buyer, and if the Goods have been delivered but not paid for, all of the
 - Seller's outstanding invoices to the Buyer become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.
- 13.3 Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.

14 GENERA

- 14.1 Notices. Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at his registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving the notice.
- 14.2 Severance. If any provision of these Conditions is held by any competent authority to be invalid or unenforceable in whole or in part the validity of the other provisions of these Conditions shall remain in full force and effect
- 14.3 Waiver. No waiver by the Seller of any breach of the Contract by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.
- 14.4 Third party rights. A person who is not a party to the Contract shall not have any rights to enforce its terms
- 14.5 Variation. No variation of these Conditions may be given by any of the Seller's employees unless confirmed in writing by an authorised director of the Seller and no collateral or supplemental contract may be made or construed unless confirmed in writing by an authorised director of the Seller on the Seller's official stationery.
- 14.6 Entire Agreement. The Buyer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Seller which is not set out in the Contract.
- 14.7 Governing law and jurisdiction. The Contract shall be governed by the laws of England, and the Buyer agrees to submit to the non-exclusive jurisdiction of the English courts.

15. SPECIFICATIONS AND INSTRUCTIONS

- 15.1 Unless the Seller agrees otherwise, only the specifications referred to in the quotation shall form part of the Contract.
- 15.2 The Seller reserves the right subject to giving prior written notice to the Buyer to modify the said specifications where the Goods cannot in the opinion of the Seller be manufactured according to the said specifications and the Buyer agrees to accept the Goods as manufactured according to the specifications so modified in satisfaction of the Sellers obligations as to manufacture of the Goods under the contracts.
- 15.3 App Based Goods the Buyer shall ensure that prior to supplying any app based goods to any customer it shall include within its customer terms and conditions for supply of the App based Goods a requirement for the customer to have read, understood and agreed to the app terms and conditions for the Goods prior to completion of purchase of the Goods. Where such Goods are supplied or installed by a third party for and/or on behalf of the Buyer thall ensure that such installer also complies with this clause 10.3 by including this provision in its contract with the installer.

WHY NOT COMPLEMENT YOUR ALWAYS CONNECTED KIT, WITH AN ALWAYS CONNECTED XTS INTERCOM KIT?





Scan the QR code to download a copy of the Always Connected Intercom Kit Price List.





CAME BPT - North

Unit 1B Sills Road Willow Farm Business Park Castle Donington DE74 2US

Tel: 0115 921 0430

CAME BPT - South

Liberta House Maxted Road Maylands Ind. Est. Hemel Hempstead Herts HP2 7DX

Tel: 01442 230 800

All list prices are GBP (£) excluding VAT.

CAME BPT - Ireland

Unit 9 The Westway Centre Ballymount Dublin 12

Tel: +353 (0)1 450 7442

All list prices are IE $(\ensuremath{\in})$ excluding VAT.



© AUTKIT1021 - 2021 - EN
YOU MAY NOT EVEN PARTIALLY REPRODUCE THIS DOCUMENT
CAME RESERVES THE RIGHT TO MAKE ANY CHANGES TO THIS DOCUMENT AT ANY TIME
THE DATA AND INFORMATION SHOWN IN THIS CATALOGUE ARE SUBJECT TO CHANGE WITHOUT OBLIGATION TO GIVE PRIOR NOTICE BY CAME S.P.A, E&OE

